Author Index—Volume 37

A

Achenbach, S.: *see* Ropers, D.
Adam, G.: *see* Haage, P.
Ahmetoğlu, A.: *see* Ökten, A.
Ahn, M. I., Park, S. H., Kim, W. Y., Park, Y. H., Bang, C. S., Kim, J. I.: Radiologic localization of esophageal level: Comparison with distance from incisor at endoscopy, 95
Ahuja, A., Ying, M.: An overview of neck node sonography, 333
Albrecht, T., Barr, R., Blomley, M., Burns, P., Calliada, F., Campani, R., Correas, M. C. J.-M., Lafortune, M., Leen, E., Robbin, M., Weber, T., Wilson, S.: Seeking consensus: Contrast ultrasound in radiology, 205
Alexandre, C.: *see* Barou, O.
Alfke, H.: *see* Kalinowski, M.
Amararene, A.: *see* Correas, J.-M.
Anderson, R.: *see* Facius, M.
Andreopoulos, D., Kasi, L. P., Kim, E. E., Diaz, M., Yang, D. J., Asimacopoulos, P. J.: Detection of acute postoperative mediastinitis in mice using ^{99m}Tc-liposomes, 435
Andreou, J.: *see* Papanikolaou, N.
Arai, M.: *see* Suga, K.
Arbel, R.: *see* Even-Sapir, E.
Aref, M., Brechbiel, M., Wiener, E. C.: Identifying tumor vascular permeability heterogeneity with magnetic resonance imaging contrast agents, 178
Asada, Y.: *see* Ochiai, R.
Asato, M.: *see* Ochiai, R.
Asimacopoulos, P. J.: *see* Andreopoulos, D.

B

Bae, S. H.: *see* Han, D.
Balássy, C.: *see* Csapó, B.
Bang, C. S.: *see* Ahn, M. I.
Barbet, A.: *see* Rouffiac, V.
Barbier, A.: *see* Barou, O.
Barkhausen, J.: *see* Goyen, M.
Barou, O., Valentin, D., Vico, L., Tirode, C., Barbier, A., Alexandre, C., Lafage-Proust, M.-H.: High-resolution three-dimensional micro-computed tomography detects bone loss and changes in trabecular architecture early: Comparison with DEXA and bone histomorphometry in a rat model of disuse osteoporosis, 40
Barr, R.: *see* Albrecht, T.
Barth, M.: *see* Nöbauer-Huhmann, I.-M.
Ba-Ssalamah, A.: *see* Nöbauer-Huhmann, I.-M.
Baumann, C.: *see* Fischbach, F.
Bazot, M.: *see* Le Blanche, A.-F.
Becker, C.: *see* Bruning, R.
Beecroft, J. R.: *see* Clark, T. W. I.
Belkind, N.: *see* Hamilton, A.
Ben Salem, D.: *see* Lalande, A.
Bensel, K.: *see* Davies, B. E.
Berger, G.: *see* Correas, J.-M.
Betsch, A.: *see* Schöber, W.
Biemans, J. M. A., van Heesewijk, J. P. M., van der Graaf, Y.: Digital Chest Imaging: Selenium radiography *versus* storage phosphor imaging: Comparison of visualization of specific anatomic regions of the chest, 47
Bilo, J. M.: *see* Clark, T. W. I.
Binkert, C. A., Nanz, D., Bootz, F., Nehrbass, D., Pospischil, A., Boos, N., Pfammatter, T., Treiber, K., Hodler, J.: Laser-induced thermotherapy of the vertebral body: Preliminary assessment of safety and real-time magnetic resonance monitoring in an animal model, 557
Birke, S.: *see* Ropers, D.
Blomley, M.: *see* Albrecht, T.
Bock, M.: *see* Fink, C.; Kiessling, F.; Knopp, M. V.
Boehm, T.: *see* Facius, M.
Bogaert, J.: *see* Dymarkowski, S.
Böhm, M.: *see* Scheller, B.
Bonnemain, B.: *see* Gaillard, S.
Boos, N.: *see* Binkert, C. A.
Bootz, F.: *see* Binkert, C. A.
Börnert, P.: *see* Spuentrup, E.
Bosk, S.: *see* Goyen, M.
Bosmans, H.: *see* Dymarkowski, S.
Botnar, R. M.: *see* Spuentrup, E.
Boxer, M. M.: *see* Wilson, A. J.
Brechbiel, M.: *see* Aref, M.; Eckelman, W. C.; Konda, S. D.
Brehme, U.: *see* Tepe, G.
Bridal, S. L.: *see* Correas, J.-M.
Bruning, R., Muehlstaedt, M., Becker, C., Knez, A., Haberl, R., Reiser, M.: Computed tomography-fluoroscopy guided drainage of pericardial effusions: Experience in 11 cases, 328
Brunotte, F.: *see* Lalande, A.
Burns, P.: *see* Albrecht, T.
Busch, E.: *see* Krueger, K.
Bush, H. L., Jr.: *see* Wang, Y.

C

Calliada, F.: *see* Albrecht, T.
Campani, R.: *see* Albrecht, T.
Carette, M.-F.: *see* Le Blanche, A.-F.
Castañeda, W. R.: *see* Qian, Z.
Chabra, S. G.: *see* Wang, Y.
Chang, K. H.: *see* Lee, H. J.
Chassard, D.: *see* Gaillard, S.
Chen, C. Z.: *see* Wang, Y.
Cherryman, G. R., Pirovano, G., Kirchin, M. A.: Gadobenate dimeglumine in MRI of acute myocardial infarction: Results of a phase III study comparing dynamic and delayed contrast enhanced magnetic resonance imaging with EKG, ^{201}Tl SPECT, and echocardiography, 135
Choi, B. G.: *see* Yoo, S.-S.
Choi, B. I.: *see* Jun, W. S.; Lee, H. J.
Choi, C. S.: *see* Han, D.
Choi, J.-I.: *see* Lee, H. J.
Christiansen, J. P.: *see* Schumann, P. A.
Çiftçibaiş, K.: *see* Ökten, A.
Clark, T. W. I., Bilo, J. M., Beecroft, J. R.: Arterial port catheter system placement using a translumbar aortic route, 7
Classen, M.: *see* Huber, W.
Clauss, W.: *see* Scheller, B.
Claussen, C. D.: *see* Schöber, W.; Tepe, G.; Wersebe, A.; Wiskirchen, J.
Confort-Gouny, S.: *see* Lemaire, L.
Corl, F. M.: *see* Scatarige, J. C.
Corot, C.: *see* Lancelot, E.
Correas, J.-M., Kurtisovski, E., Bridal, S. L., Amararene, A., Hélénon, O., Berger, G.: Optimizing an ultrasound contrast agent's stability using in vitro attenuation measurements, 672
Correas, M. C. J.-M.: *see* Albrecht, T.
Counsell, R. E.: *see* Wisner, E. R.
Coupland, S. E.: *see* Schmitz, S. A.
Cozzone, P. J.: *see* Lemaire, L.
Cremer, J.: *see* Müller-Hülsbeck, S.
Csapó, B., Széles, J., Helbich, T. H., Klarhöfer, M., Balássy, C., Pammer, J., Obermair, A.: Histopathologic correlation of high-resolution magnetic resonance imaging of human cervical tissue samples at 3 tesla: Validation of a technique, 381

D

Daniel, W. G.: *see* Ropers, D.
Dantan, P.: *see* Rouffiac, V.
Davies, A.: *see* Davies, B. E.
Davies, B. E., Kirchin, M. A., Bensel, K., Lorusso, V., Davies, A., Parker, J. R., Lafrance, N. D.: Pharmacokinetics and safety of gadobenate dimeglumine (multihance) in subjects with impaired liver function, 299
Debatin, J. F.: *see* Goyen, M.; Herborn, C. U.
Delorme, S.: *see* Fink, C.; Kiessling, F.
Delouche, P.: *see* Rouffiac, V.
Diaz, M.: *see* Andreopoulos, D.
Dickey, K. M.: *see* Runge, V. M.
Dilber, E.: *see* Ökten, A.
Dohgu, S.: *see* Furuta, W.
Donovan, M.: *see* Runge, V. M.
Dorenbeck, U., Seitz, J., Völk, M., Strotzer, M., Lenhart, M., Feuerbach, S., Link, J.: Evaluation of arterial bypass grafts of the pelvic and lower extremities with gadolinium-enhanced magnetic resonance angiography: Comparison with digital subtraction angiography, 60
Duda, S. H.: *see* Schöber, W.; Tepe, G.; Wiskirchen, J.
Dürfeld, F.: *see* Kalinowski, M.
Dymarkowski, S., Ni, Y., Miao, Y., Bogaert, J., Rademakers F., Bosmans, H., Marchal, G.: Value of T2-weighted magnetic resonance imaging early after myocardial infarction in dogs: Comparison with bis-gadolinium-mesoporphyrin enhanced T1-weighted magnetic resonance imaging and functional data from cine magnetic resonance imaging, 77

E

Eberle, B.: *see* Gast, K. K.
Ebert, W.: *see* Kato, N.
Eckel, F.: *see* Huber, W.
Eckelman, W. C., Frank, J. A., Brechbiel, M.: Theory and practice of imaging saturable binding sites, 101
Efthimiadou, R.: *see* Papanikolaou, N.
Egelhof, T.: *see* Kiessling, F.
Eguchi, K.: *see* Nagao, M.
Ercan, N.: *see* Tali, E. T.
Espinoza, C.: *see* Qian, Z.
Essig, M.: *see* Schoenberg, S. O.
Even-Sapir, E., Arbel, R., Lerman, H., Flusser, G., Livshitz, G., Halperin, N.: Bone injury associated with anterior cruciate ligament and meniscal tears: Assessment with bone single photon emission computed tomography, 521

F

Facius, M., Malich, A., Schneider, G., Boehm, T., Anderson, R., Kaiser, W. A.: Electrical impedance scanning used in addition to ultrasound for the verification of submandibular and parotid lesions: Initial results, 421
Felix, R.: *see* Fischbach, F.
Fersis, N.: *see* Wersebe, A.
Feuerbach, S.: *see* Dorenbeck, U.; Lenhart, M.; Schreyer, A. G.
Feuls, R.: *see* Schöber, W.
Fink, C.: *see* Kiessling, F.
Fink, C., Bock, M., Kiessling, F., Delorme, S.:

Author Index—Volume 37

A

Achenbach, S.: *see* Ropers, D.
Adam, G.: *see* Haage, P.
Ahmetoğlu, A.: *see* Ökten, A.
Ahn, M. I., Park, S. H., Kim, W. Y., Park, Y. H., Bang, C. S., Kim, J. I.: Radiologic localization of esophageal level: Comparison with distance from incisor at endoscopy, 95
Ahuja, A., Ying, M.: An overview of neck node sonography, 333
Albrecht, T., Barr, R., Blomley, M., Burns, P., Calliada, F., Campani, R., Correas, M. C. J.-M., Lafortune, M., Leen, E., Robbin, M., Weber, T., Wilson, S.: Seeking consensus: Contrast ultrasound in radiology, 205
Alexandre, C.: *see* Barou, O.
Alfke, H.: *see* Kalinowski, M.
Amararene, A.: *see* Correas, J.-M.
Anderson, R.: *see* Facius, M.
Andreopoulos, D., Kasi, L. P., Kim, E. E., Diaz, M., Yang, D. J., Asimacopoulos, P. J.: Detection of acute postoperative mediastinitis in mice using ^{99m}Tc-liposomes, 435
Andreou, J.: *see* Papanikolaou, N.
Arai, M.: *see* Suga, K.
Arbel, R.: *see* Even-Sapir, E.
Aref, M., Brechbiel, M., Wiener, E. C.: Identifying tumor vascular permeability heterogeneity with magnetic resonance imaging contrast agents, 178
Asada, Y.: *see* Ochiai, R.
Asato, M.: *see* Ochiai, R.
Asimacopoulos, P. J.: *see* Andreopoulos, D.

B

Bae, S. H.: *see* Han, D.
Balássy, C.: *see* Csapó, B.
Bang, C. S.: *see* Ahn, M. I.
Barbet, A.: *see* Rouffiac, V.
Barbier, A.: *see* Barou, O.
Barkhausen, J.: *see* Goyen, M.
Barou, O., Valentin, D., Vico, L., Tirode, C., Barbier, A., Alexandre, C., Lafage-Proust, M.-H.: High-resolution three-dimensional micro-computed tomography detects bone loss and changes in trabecular architecture early: Comparison with DEXA and bone histomorphometry in a rat model of disuse osteoporosis, 40
Barr, R.: *see* Albrecht, T.
Barth, M.: *see* Nöbauer-Huhmann, I.-M.
Ba-Ssalamah, A.: *see* Nöbauer-Huhmann, I.-M.
Baumann, C.: *see* Fischbach, F.
Bazot, M.: *see* Le Blanche, A.-F.
Becker, C.: *see* Bruning, R.
Beecroft, J. R.: *see* Clark, T. W. I.
Belkind, N.: *see* Hamilton, A.
Ben Salem, D.: *see* Lalande, A.
Bensel, K.: *see* Davies, B. E.
Berger, G.: *see* Correas, J.-M.
Betsch, A.: *see* Schöber, W.
Biemans, J. M. A., van Heesewijk, J. P. M., van der Graaf, Y.: Digital Chest Imaging: Selenium radiography *versus* storage phosphor imaging: Comparison of visualization of specific anatomic regions of the chest, 47
Bilo, J. M.: *see* Clark, T. W. I.
Binkert, C. A., Nanz, D., Bootz, F., Nehrbass, D., Pospischil, A., Boos, N., Pfammatter, T., Treiber, K., Hodler, J.: Laser-induced thermotherapy of the vertebral body: Preliminary assessment of safety and real-time magnetic resonance monitoring in an animal model, 557
Birke, S.: *see* Ropers, D.
Blomley, M.: *see* Albrecht, T.
Bock, M.: *see* Fink, C.; Kiessling, F.; Knopp, M. V.
Boehm, T.: *see* Facius, M.
Bogaert, J.: *see* Dymarkowski, S.
Böhm, M.: *see* Scheller, B.
Bonnemain, B.: *see* Gaillard, S.
Boos, N.: *see* Binkert, C. A.
Bootz, F.: *see* Binkert, C. A.
Börnert, P.: *see* Spuentrup, E.
Bosk, S.: *see* Goyen, M.
Bosmans, H.: *see* Dymarkowski, S.
Botnar, R. M.: *see* Spuentrup, E.
Boxer, M. M.: *see* Wilson, A. J.
Brechbiel, M.: *see* Aref, M.; Eckelman, W. C.; Konda, S. D.
Brehme, U.: *see* Tepe, G.
Bridal, S. L.: *see* Correas, J.-M.
Bruning, R., Muehlstaedt, M., Becker, C., Knez, A., Haberl, R., Reiser, M.: Computed tomography-fluoroscopy guided drainage of pericardial effusions: Experience in 11 cases, 328
Brunotte, F.: *see* Lalande, A.
Burns, P.: *see* Albrecht, T.
Busch, E.: *see* Krueger, K.
Bush, H. L., Jr.: *see* Wang, Y.

C

Calliada, F.: *see* Albrecht, T.
Campani, R.: *see* Albrecht, T.
Carette, M.-F.: *see* Le Blanche, A.-F.
Castañeda, W. R.: *see* Qian, Z.
Chabra, S. G.: *see* Wang, Y.
Chang, K. H.: *see* Lee, H. J.
Chassard, D.: *see* Gaillard, S.
Chen, C. Z.: *see* Wang, Y.
Cherryman, G. R., Pirovano, G., Kirchin, M. A.: Gadobenate dimeglumine in MRI of acute myocardial infarction: Results of a phase III study comparing dynamic and delayed contrast enhanced magnetic resonance imaging with EKG, ^{201}Tl SPECT, and echocardiography, 135
Choi, B. G.: *see* Yoo, S.-S.
Choi, B. I.: *see* Jun, W. S.; Lee, H. J.
Choi, C. S.: *see* Han, D.
Choi, J.-I.: *see* Lee, H. J.
Christiansen, J. P.: *see* Schumann, P. A.
Çiftçibaiş, K.: *see* Ökten, A.
Clark, T. W. I., Bilo, J. M., Beecroft, J. R.: Arterial port catheter system placement using a translumbar aortic route, 7
Classen, M.: *see* Huber, W.
Clauss, W.: *see* Scheller, B.
Claussen, C. D.: *see* Schöber, W.; Tepe, G.; Wersebe, A.; Wiskirchen, J.
Confort-Gouny, S.: *see* Lemaire, L.
Corl, F. M.: *see* Scatarige, J. C.
Corot, C.: *see* Lancelot, E.
Correas, J.-M., Kurtisovski, E., Bridal, S. L., Amararene, A., Hélénon, O., Berger, G.: Optimizing an ultrasound contrast agent's stability using in vitro attenuation measurements, 672
Correas, M. C. J.-M.: *see* Albrecht, T.
Counsell, R. E.: *see* Wisner, E. R.
Coupland, S. E.: *see* Schmitz, S. A.
Cozzone, P. J.: *see* Lemaire, L.
Cremer, J.: *see* Müller-Hülsbeck, S.
Csapó, B., Széles, J., Helbich, T. H., Klarhöfer, M., Balássy, C., Pammer, J., Obermair, A.: Histopathologic correlation of high-resolution magnetic resonance imaging of human cervical tissue samples at 3 tesla: Validation of a technique, 381

D

Daniel, W. G.: *see* Ropers, D.
Dantan, P.: *see* Rouffiac, V.
Davies, A.: *see* Davies, B. E.
Davies, B. E., Kirchin, M. A., Bensel, K., Lorusso, V., Davies, A., Parker, J. R., Lafrance, N. D.: Pharmacokinetics and safety of gadobenate dimeglumine (multihance) in subjects with impaired liver function, 299
Debatin, J. F.: *see* Goyen, M.; Herborn, C. U.
Delorme, S.: *see* Fink, C.; Kiessling, F.
Delouche, P.: *see* Rouffiac, V.
Diaz, M.: *see* Andreopoulos, D.
Dickey, K. M.: *see* Runge, V. M.
Dilber, E.: *see* Ökten, A.
Dohgu, S.: *see* Furuta, W.
Donovan, M.: *see* Runge, V. M.
Dorenbeck, U., Seitz, J., Völk, M., Strotzer, M., Lenhart, M., Feuerbach, S., Link, J.: Evaluation of arterial bypass grafts of the pelvic and lower extremities with gadolinium-enhanced magnetic resonance angiography: Comparison with digital subtraction angiography, 60
Duda, S. H.: *see* Schöber, W.; Tepe, G.; Wiskirchen, J.
Dürfeld, F.: *see* Kalinowski, M.
Dymarkowski, S., Ni, Y., Miao, Y., Bogaert, J., Rademakers F., Bosmans, H., Marchal, G.: Value of T2-weighted magnetic resonance imaging early after myocardial infarction in dogs: Comparison with bis-gadolinium-mesoporphyrin enhanced T1-weighted magnetic resonance imaging and functional data from cine magnetic resonance imaging, 77

E

Eberle, B.: *see* Gast, K. K.
Ebert, W.: *see* Kato, N.
Eckel, F.: *see* Huber, W.
Eckelman, W. C., Frank, J. A., Brechbiel, M.: Theory and practice of imaging saturable binding sites, 101
Efthimiadou, R.: *see* Papanikolaou, N.
Egelhof, T.: *see* Kiessling, F.
Eguchi, K.: *see* Nagao, M.
Ercan, N.: *see* Tali, E. T.
Espinoza, C.: *see* Qian, Z.
Essig, M.: *see* Schoenberg, S. O.
Even-Sapir, E., Arbel, R., Lerman, H., Flusser, G., Livshitz, G., Halperin, N.: Bone injury associated with anterior cruciate ligament and meniscal tears: Assessment with bone single photon emission computed tomography, 521

F

Facius, M., Malich, A., Schneider, G., Boehm, T., Anderson, R., Kaiser, W. A.: Electrical impedance scanning used in addition to ultrasound for the verification of submandibular and parotid lesions: Initial results, 421
Felix, R.: *see* Fischbach, F.
Fersis, N.: *see* Wersebe, A.
Feuerbach, S.: *see* Dorenbeck, U.; Lenhart, M.; Schreyer, A. G.
Feuls, R.: *see* Schöber, W.
Fink, C.: *see* Kiessling, F.
Fink, C., Bock, M., Kiessling, F., Delorme, S.:

Interstitial magnetic resonance lymphography with gadobutrol in rats: Evaluation of contrast kinetics, 655
Finkenzeller, T.: *see* Lenhart, M.
Fischbach, F., Ricke, J., Freund, T., Werk, M., Spors, B., Baumann, C., Pech, M., Felix, R.: Flat panel digital radiography compared with storage phosphor computed radiography: Assessment of dose *versus* image quality in phantom studies, 609
Fishman, E. K.: *see* Scatarige, J. C.
Fleige, G., Seeberger, F., Laux, D., Kresse, M., Taupitz, M., Pilgrimm, H., Zimmer, C.: In vitro characterization of two different ultrasmall iron oxide particles for magnetic resonance cell tracking, 482
Floemer, F.: *see* Knopp, M. V.
Flohr, T.: *see* Mahnken, A. H.
Flusser, G.: *see* Even-Sapir, E.
Fog, A.: *see* Nöbauer-Huhmann, I.-M.
Fournier, J.: *see* Lemaire, L.
Framme, N.: *see* Lenhart, M.
Frank, J. A.: *see* Eckelman, W. C.
Freund, T.: *see* Fischbach, F.
Frey, I.: *see* Le Blanche, A.-F.
Frigeni, V., Samuelli, G., Miragoli, L., Grotti, A., Lorusso, V.: Effect of iomeprol on rat hippocampal slice synaptic transmission: comparison with other x-ray contrast agents, 222
Fugita, O. E.: *see* Roberts, W. W.
Fur, Y. L.: *see* Lemaire, L.
Furuta, W., Yamauchi, A., Dohgu, S., Nakagawa, S., Sendo, T., Makino, K., Oishi, R., Kataoka, Y.: Contrast media increase vascular endothelial permeability by inhibiting nitric-oxide production, 13
Fusenig, N. E.: *see* Kiessling, F.

G

Gaillard, S., Kubiak, C., Stolz, C., Bonnemain, B., Chassard D.: Safety and pharmacokinetics of P792, a new blood-pool agent: Results of clinical testing in nonpatient volunteers, 161
Garland, M. R.: *see* Scatarige, J. C.
Gaschen, L., Schuurman, H.-J.: Ultrasound score is more predictive than serum creatinine in assessment of cellular rejection in cynomolgus monkey renal allografts, 376
Gast, K. K., Puderbach, M. U., Rodriguez, I., Eberle, B., Markstaller, K., Hanke, A. T., Schmiedeskamp, J., Weiler, N., Lill, J., Schreiber, W. G., Thelen, M., Kauczor, H.-U.: Dynamic ventilation ^{3}He-magnetic resonance imaging with lung motion correction: Gas flow distribution analysis, 126
Gebert, R.: *see* Schöber, W.
Geens, V.: *see* Lehnhardt, S.
Geissler, A.: *see* Schreyer, A. G.
Gerber, C.: *see* Pfirrmann, C. W. A.
Goyen, M.: *see* Herborn, C. U.
Goyen, M., Herborn, C. U., Lauenstein, T. C., Barkhausen, J., Veit, P., Bosk, S., Debatin, J. F., Ruehm, S. G.: Optimization of contrast dosage for gadobenate dimeglumine-enhanced high-resolution whole-body 3D magnetic resonance angiography, 263
Graber, G.: *see* Schaffler, G. J.
Grimm, J.: *see* Müller-Hülsbeck, S.
Groen, J. P.: *see* Spuentrup, E.
Grotti, A.: *see* Frigeni, V.
Günther, R. W.: *see* Haage, P.; Mahnken, A. H.
Gust, R.: *see* Schmitz, S. A.

H

Haage, P., Karaagac, S., Adam, G., Spüntrup, E., Pfeffer, J., Günther, R. W.: Gadolinium containing contrast agents for pulmonary ventilation magnetic resonance imaging: Preliminary results, 120
Haberl, R.: *see* Bruning, R.
Hadengue, A.: *see* Rouffiac, V.
Haller, C.: *see* Hizoh, I.
Hallscheidt, P.: *see* Schoenberg, S. O.
Halperin, N.: *see* Even-Sapir, E.
Hamide, J.: *see* Qian, Z.
Hamilton, A., Rabbat, M., Jain, P., Belkind, N., Huang, S.-L., Nagaraj, A., Klegerman, M., Macdonald, R., Mcpherson, D. D.: A physiologic flow chamber model to define intravascular ultrasound enhancement of fibrin using echogenic liposomes, 215
Hamm, B.: *see* Wagner, S.
Han, D., Seo, Y. L., Choi, C. S., Kim, H. C., Yoon, D. Y., Bae, S. H., Moon, J. H., Kim, S. H., Kim, S. S., Han, H.: A steerable guiding device: The new method in ultrasound guidance, 626
Han, H.: *see* Han, D.
Han, J. K.: *see* Jun, W. S.
Han, J.-Y.: *see* Yoo, S.-S.
Han, M. C.: *see* Lee, H. J.
Handreke, K.: *see* Krause, W.
Hanke, A. T.: *see* Gast, K. K.
Hansen, M.: *see* Kiessling, F.
Hara, A.: *see* Suga, K.
Heimberger, K.: *see* Nöbauer-Huhmann, I.-M.
Heinz, G.: *see* Partik, B. L.
Helbich, T. H.: *see* Csapó, B.; Partik, B. L.
Hélénon, O.: *see* Correas, J.-M.
Heller, M.: *see* Müller-Hülsbeck, S.
Hennig, M.: *see* Huber, W.
Hentrich, H. R.: *see* Knopp, M. V.
Herborn, C. U.: *see* Goyen, M.
Herborn, C. U., Waldschuetz, R., Lauenstein, T. C., Goyen, M., Lauffer, R. B., Moeroey, T., Debatin, J. F., Ruehm, S. G.: Contrast-enhanced magnetic resonance imaging (MS-325) in a murine model of systemic lupus erythematosus, 464
Herfarth, H.: *see* Schreyer, A. G.
Herget, G.: *see* Lehnhardt, S.
Hergt, R.: *see* Hilger, I.
Heshiki, A.: *see* Kato, N.
Hiergeist, R.: *see* Hilger, I.
Hilger, I., Hiergeist, R., Hergt, R., Winnefeld, K., Schubert, H., Kaiser, W. A.: Thermal ablation of tumors using magnetic nanoparticles: An in vivo feasibility study, 580
Hizoh, I., Haller, C.: Radiocontrast-induced renal tubular cell apoptosis: Hypertonic *versus* oxidative stress, 428
Hodler, J.: *see* Binkert, C. A.; Pfirrmann, C. W. A.
Högerle, S.: *see* Lehnhardt, S.
Huang, S.-L.: *see* Hamilton, A.
Huber, W., Jeschke, B., Kreymann, B., Hennig, M., Page, M., Salmhofer, H., Eckel, F., Schmidt, U., Umgelter, A., Schweigart, U., Classen, M.: Haemodialysis for the prevention of contrast-induced nephropathy: Outcome of 31 patients with severely impaired renal function, comparison with patients at similar risk and review, 471
Humke, U.: *see* Uder, M.
Huser, M.: *see* Pfirrmann, C. W. A.

I

Idée, J.-M.: *see* Lancelot, E.
Ihara, S.: *see* Kato, N.
Ikezoe, J.: *see* Nagao, M.
Ishimori, Y.: *see* Uematsu, H.
Itoh, H.: *see* Uematsu, H.

J

Jain, P.: *see* Hamilton, A.
Jansen, A.: *see* Uder, M.
Jeschke, B.: *see* Huber, W.
Jinkins, J. R.: *see* Tali, E. T.
Johst, U.: *see* Schöber, W.
Jun, W. S., Lee, K. H., Koo, K., Kim, D., Kim, J. H., Kim, S. H., Choi, B. I., Han, J. K.: A straightforward algorithm for the quantification of power Doppler signals, 343

K

Kaider, A.: *see* Nöbauer-Huhmann, I.-M.
Kaiser, W. A.: *see* Facius, M.; Hilger, I.
Kalinowski, M., Alfke, H., Kleb, B., Dürfeld, F., Wagner, H. J.: Paclitaxel inhibits proliferation of cell lines responsible for metal stent obstruction: Possible topical application in malignant bile duct obstructions, 399
Kalinowski, M., Kress, O., Wels, T., Alfke, H., Klose, K. J., Wagner, H.-J.: X-ray digital subtraction angiography with 1 mol/L gadobutrol: Results from a comparative porcine study with iodinated contrast agents, 254
Kalyoncu, M.: *see* Ökten, A.
Karaagac, S.: *see* Haage, P.
Karino, Y.: *see* Ogasawara, N.
Kasi, L. P.: *see* Andreopoulos, D.
Kataoka, Y.: *see* Furuta, W.
Kato, N., Ihara, S., Tsujimoto, T., Miyazawa, T.: Effect of resovist on rats with different severities of liver cirrhosis, 292
Kato, N., Yokawa, T., Tamura, A., Heshiki, A., Ebert, W., Weinmann, H.-J.: Gadolinium-ethoxybenzyl-diethylenetriamine-pentaacetic acid interaction with clinical drugs in rats, 280
Kauczor, H.-U.: *see* Gast, K. K.
Kavoussi, L. R.: *see* Roberts, W. W.
Kawamura, Y.: *see* Uematsu, H.
Keane, P.: *see* Lemaire, L.
Kehlbach, R.: *see* Schöber, W.
Kent, K. C.: *see* Wang, Y.
Kessler, W.: *see* Ropers, D.
Khilnani, N. M.: *see* Wang, Y.
Kiessling, F.: *see* Fink, C.
Kiessling, F., Fink, C., Hansen, M., Bock, M., Sinn, H., Schrenk, H. H., Krix, M., Egelhof, T., Fusenig, N. E., Delorme, S.: Magnetic resonance imaging of nude mice with heterotransplanted high-grade squamous cell carcinomas: Use of a low-loaded, covalently bound Gd-Hsa conjugate as contrast agent with high tumor affinity, 193
Kikinis, R.: *see* Schreyer, A. G.
Kim, D.: *see* Jun, W. S.
Kim, E. E.: *see* Andreopoulos, D.
Kim, H. C.: *see* Han, D.
Kim, H. H.: *see* Yoo, S.-S.
Kim, I. O.: *see* Lee, H. J.
Kim, J. H.: *see* Jun, W. S.
Kim, J. I.: *see* Ahn, M. I.
Kim, S. H.: *see* Han, D.; Jun, W. S.; Lee, H. J.
Kim, S. S.: *see* Han, D.
Kim, T. K.: *see* Lee, H. J.
Kim, W. Y.: *see* Ahn, M. I.
Kimura, H.: *see* Uematsu, H.
Kirchin, M. A.: *see* Cherryman, G. R.; Davies, B. E.
Kisanauki, A.: *see* Ochiai, R.

Kissinger, K. V.: *see* Spuentrup, E.
Klarhöfer, M.: *see* Csapó, B.
Kleb, B.: *see* Kalinowski, M.
Klegerman, M.: *see* Hamilton, A.
Klose, K. J.: *see* Kalinowski, M.
Knez, A.: *see* Bruning, R.
Knopp, M. V.: *see* Schoenberg, S. O.
Knopp, M. V., Schoenberg, S. O., Rehm, C., Floemer, F., Von Tengg-Kobligk, H., Bock, M., Hentrich, H. R.: Assessment of gadobenate dimeglumine for magnetic resonance angiography: Phase I studies, 706
Koller, A.: *see* Partik, B. L.
Konda, S. D., Wang, S., Brechbiel, M., Wiener, E. C.: Biodistribution of a ^{153}Gd-folate dendrimer, generation = 4, in mice with folate-receptor positive and negative ovarian tumor xenografts, 199
König, C.: *see* Wiskirchen, J.
Kónya, A., Wright, K. C.: Capillary embolization using ethiodol-ethanol for complete renal ablation in swine, 512
Koo, K.: *see* Jun, W. S.
Koshimoto, Y.: *see* Uematsu, H.
Krainick, U.: *see* Wersebe, A.
Kramann, B.: *see* Uder, M.
Kramer, U.: *see* Wiskirchen, J.
Krause, W., Handreke, K., Schuhmann-Giampieri, G., Rupp, K.: Efficacy of the iodine-free computed tomography liver contrast agent, Dy-EOB-DTPA, in comparison with a conventional iodinated agent in normal and in tumor-bearing rabbits, 241
Krause, W., Muschick, P., Krüger, U.: Use of near-infrared reflection spectroscopy to study the effects of x-ray contrast media on renal tolerance in rats: Effects of a prostacyclin analogue and of phosphodiesterase inhibitors, 698
Kress, O.: *see* Kalinowski, M.
Kresse, M.: *see* Fleige, G.
Kreymann, B.: *see* Huber, W.
Krix, M.: *see* Kiessling, F.
Krombach, G. A.: *see* Mahnken, A. H.
Krueger, K., Busch, E.: Protocol of a thromboembolic stroke model in the rat: Review of the experimental procedure and comparison of models, 600
Krüger, U.: *see* Krause, W.
Krumina, G.: *see* Tali, E. T.
Kubiak, C.: *see* Gaillard, S.
Kugler, C. H.: *see* Schaffler, G. J.
Kurtisovski, E.: *see* Correas, J.-M.
Kvamme, P.: *see* Qian, Z.

L

Lackner, K.: *see* Schellhammer, F.
Laclédère, C.: *see* Lancelot, E.
Lafage-Proust, M.-H.: *see* Barou, O.
Lafortune, M.: *see* Albrecht, T.
Lafrance, N. D.: *see* Davies, B. E.
Lalande, A., Van Kien, P. K., Salve, N., Ben Salem D., Legrand, L., Walker, P. M., Wolf, J. E., Brunotte, F.: Automatic determination of aortic compliance with cine-magnetic resonance imaging: An application of fuzzy logic theory, 685
Lancelot, E., Idée, J.-M., Laclédère, C., Santus, R., Corot, C.: Effects of two dimeric iodinated contrast media on renal medullary blood perfusion and oxygenation in dogs, 368
Lassau, N.: *see* Rouffiac, V.
Laub, G.: *see* Ropers, D.
Laubenberger, J.: *see* Lehnhardt, S.
Lauenstein, T. C.: *see* Goyen, M.; Herborn, C. U.
Lauffer, R. B.: *see* Herborn, C. U.
Laux, D.: *see* Fleige, G.
Le Blanche, A.-F., Bazot, M., Frey, I., Meaume, S., Piette, F., Carette, M.-F., Weill-Engerer, S.: Evaluation of a new hands-up ergonomics for chest radiography in geriatric patients, 35
Lee, H. J., Kim, I. O., Kim, T. K., Kim, S. H., Choi, J.-I., Lee, J. W., Moon, W. K., Choi, B. I., Han, M. C., Weinmann, H.-J., Chang, K. H.: Dynamic enhancement features of gadophrin-2 on magnetic resonance imaging: An experimental model of VX2 carcinoma and bacterial abscess in rabbit thigh, 663
Lee, J. W.: *see* Lee, H. J.
Lee, K. H.: *see* Jun, W. S.
Leen, E.: *see* Albrecht, T.
Legrand, L.: *see* Lalande, A.
Lehnhardt, S., Winterer, J. T., Strecker, R., Högerle, S., Herget, G., Geens, V., Laubenberger, J., Uhrmeister, P. : Assessment of pulmonary perfusion with ultrafast projection magnetic resonance angiography in comparison with lung perfusion scintigraphy in patients with malignant stenosis, 594
Lemaire, L., Fournier, J., Ponthus, C., Fur, Y. L., Confort-Gouny, S., Vion-Dury, J., Keane, P., Cozzone, P. J.: Magnetic resonance imaging of the neuroprotective effect of Xaliproden in rats, 321
Lenhart, M.: *see* Dorenbeck, U.
Lenhart, M., Framme, N., Völk, M., Strotzer, M., Manke, C., Nitz, W. R., Finkenzeller, T., Feuerbach, S., Link, J.: Time-resolved contrast-enhanced magnetic resonance angiography of the carotid arteries: Diagnostic accuracy and inter-observer variability compared with selective catheter angiography, 535
Lerman, H.: *see* Even-Sapir, E.
Levenson, J.: *see* Rouffiac, V.
Lill, J.: *see* Gast, K. K.
Lindner, J. R.: *see* Schumann, P. A.
Link, J.: *see* Dorenbeck, U.; Lenhart, M.
Livshitz, G.: *see* Even-Sapir, E.
Longino, M. A.: *see* Wisner, E. R.
Lorusso, V.: *see* Davies, B. E.; Frigeni, V.
Loscertales, B.: *see* Qian, Z.
Lüdemann, L., Wurm, R., Zimmer, C.: Pharmacokinetic modeling of Gd-DTPA extravasation in brain tumors, 562

M

Macdonald, R.: *see* Hamilton, A.
Maeda, M.: *see* Uematsu, H.
Mahnken, A. H., Wildberger, J. E., Sinha, A. M., Flohr, T., Truong, H. T., Krombach, G. A., Günther, R. W.: Variation of the coronary calcium score depending on image reconstruction interval and scoring algorithm, 496
Makino, K.: *see* Furuta, W.
Malich, A.: *see* Facius, M.
Mandai, K.: *see* Nagao, M.
Maniatis, V.: *see* Papanikolaou, N.
Manke, C.: *see* Lenhart, M.
Manning, W. J.: *see* Spuentrup, E.
Marchal, G.: *see* Dymarkowski, S.
Markstaller, K.: *see* Gast, K. K.
Matsuda, T.: *see* Uematsu, H.
Matsunaga, N.: *see* Ogasawara, N.; Suga, K.
Matsunaga, T. O.: *see* Schumann, P. A.
Matula, C.: *see* Nöbauer-Huhmann, I.-M.
Maynar, M.: *see* Qian, Z.
McCreery, T. P.: *see* Schumann, P. A.
Mcpherson, D. D.: *see* Hamilton, A.
Meaume, S.: *see* Le Blanche, A.-F.
Miao, Y.: *see* Dymarkowski, S.
Michaelis, M.: *see* Misselwitz, B.
Miragoli, L.: *see* Frigeni, V.
Mironov, A.: *see* Tali, E. T.
Misselwitz, B., Schmitt-Willich, H., Michaelis, M., Oellinger, J. J.: Interstitial magnetic resonance lymphography using a polymeric T1 contrast agent: Initial experience with gadomer-17, 146
Miyazawa, T.: *see* Kato, N.
Mlynarik, V.: *see* Nöbauer-Huhmann, I.-M.
Moeroey, T.: *see* Herborn, C. U.
Mogami, H.: *see* Nagao, M.
Moon, J. H.: *see* Han, D.
Moon, W. K.: *see* Lee, H. J.
Moshage, W.: *see* Ropers, D.
Muehlstaedt, M.: *see* Bruning, R.
Müller-Hülsbeck, S., Wallus cheek, K. P., Priebe, M., Grimm, J., Cremer, J., Heller, M.: Experience on endothelial cell adhesion on vascular stents and stent-grafts: First in vitro results, 314
Müller-Schimpfle, M.: *see* Wersebe, A.
Murase, K.: *see* Nagao, M.
Muschick, P.: *see* Krause, W.

N

Nagao, M., Murase, K., Yasuhara, Y., Ikezoe, J., Eguchi, K., Mogami, H., Mandai, K., Nakata, M., Ooshiro, Y.: Measurement of localized ground-glass attenuation on thin-section computed tomography images: Correlation with the progression of bronchioloalveolar carcinoma of the lung, 692
Nagaraj, A.: *see* Hamilton, A.
Nakagawa, S.: *see* Furuta, W.
Nakata, M.: *see* Nagao, M.
Nanz, D.: *see* Binkert, C. A.
Nehrbass, D.: *see* Binkert, C. A.
Ni, Y.: *see* Dymarkowski, S.
Nikolova, A.: *see* Schmitz, S. A.
Nitz, W. R.: *see* Lenhart, M.
Nöbauer-Huhmann, I.-M., Ba-Ssalamah, A., Mlynarik, V., Barth, M., Schöggl, A., Heimberger, K., Matula, C., Fog, A., Kaider, A., Trattnig, S.: Magnetic resonance imaging contrast enhancement of brain tumors at 3 tesla *versus* 1.5 tesla, 114

O

Obermair, A.: *see* Csapó, B.
Ochiai, R., Kisanuki, A., Asada, Y., Asato, M., Tamura, S., Sumiyoshi, A.: Intravascular ultrasound imaging in the assessment of atherosclerotic plaques in rabbit abdominal aorta: Comparison with histologic findings, 309
Oellinger, J. J.: *see* Misselwitz, B.
Ogasawara, N.: *see* Suga, K.
Ogasawara, N., Suga, K., Karino, Y., Matsunaga, N.: Perfusion characteristics of radiation-injured lung on Gd-DTPA-enhanced dynamic magnetic resonance imaging, 448
Oishi, R.: *see* Furuta, W.
Okada, M.: *see* Suga, K.
O'Keefe, C. F.: *see* Scatarige, J. C.
Ökten, A., Ahmetoğlu, A., Dilber, E., Dinc, H., Kalyoncu, M., Çiftçibaiş, K., Yariş, N.: Cranial Doppler ultrasonography as a predictor of neurologic sequelae in infants with bacterial meningitis, 86
Ooshiro, Y.: *see* Nagao, M.

P

Page, M.: *see* Huber, W.

Pahl, M.: *see* Uder, M.
Pammer, J.: *see* Csapó, B.
Papanikolaou, N., Maniatis, V., Pappas, J., Roussakis, A., Efthimiadou, R., Andreou, J.: Biexponential T2 relaxation time analysis of the brain: Correlation with magnetization transfer ratio, 363
Pappas, J.: *see* Papanikolaou, N.
Park, S. H.: *see* Ahn, M. I.
Park, Y. H.: *see* Ahn, M. I.
Parker, J. R.: *see* Davies, B. E.; Runge, V. M.
Partik, B. L., Stadler, A., Schamp, S., Koller, A., Voracek, M., Heinz, G., Helbich, T. H.: 3D *versus* 2D ultrasound: Accuracy of volume measurement in human cadaver kidneys, 489
Pech, M.: *see* Fischbach, F.
Peng, X.: *see* Runge, V. M.
Péronneau, P.: *see* Rouffiac, V.
Pfammatter, T.: *see* Binkert, C. A.
Pfeffer, J.: *see* Haage, P.
Pfirrmann, C. W. A., Huser, M., Székely, G., Hodler, J., Gerber, C.: Evaluation of complex joint motion with computer-based analysis of fluoroscopic sequences, 73
Piette, F.: *see* Le Blanche, A.-F.
Pilgrimm, H.: *see* Fleige, G.; Wagner, S.
Pirovano, G.: *see* Cherryman, G. R.
Ponthus, C.: *see* Lemaire, L.
Pospischil, A.: *see* Binkert, C. A.
Priebe, M.: *see* Müller-Hülsbeck, S.
Prince, M. R.: *see* Wang, Y.
Ptak, T.: *see* Roth, C.
Puderbach, M. U.: *see* Gast, K. K.
Pusich, B.: *see* Wiskirchen, J.

Q

Qian, Z., Kvamme, P., Raghed, D., Maynar, M., Hamide, J., Scheer, W. D., Espinoza, C., Loscertales, B., Castañeda, W. R.: Comparison of a new recirculation thrombectomy catheter with other devices of the same type: In vitro and in vivo evaluations, 503
Quigley, R. M.: *see* Schumann, P. A.

R

Rabbat, M.: *see* Hamilton, A.
Rademakers, F.: *see* Dymarkowski, S.
Raghed, D.: *see* Qian, Z.
Raschack, M.: *see* Tepe, G.
Regenfus, M.: *see* Ropers, D.
Rehm, C.: *see* Knopp, M. V.
Reiser, M.: *see* Bruning, R.
Ricke, J.: *see* Fischbach, F.
Robbin, M.: *see* Albrecht, T.
Roberts, W. W., Fugita, O. E., Kavoussi, L. R., Stoianovici, D., Solomon, S. B.: Measurement of needle-tip bioimpedance to facilitate percutaneous access of the urinary and biliary systems: First assessment of an experimental system, 91
Rodegerdts, E.: *see* Schöber, W.
Rodriguez, I.: *see* Gast, K. K.
Ropers, D., Regenfus, M., Stilianakis, N., Birke, S., Kessler, W., Moshage, W., Laub, G., Daniel, W. G., Achenbach, S.: A direct comparison of noninvasive coronary angiography by electron beam tomography and navigator-echo-based magnetic resonance imaging for the detection of restenosis following coronary angioplasty, 386
Roth, C., Tello, R., Sutherland, K., Ptak, T.: Prediction rule for etiology of vague abdominal pain in the emergency room: Utility for imaging triage, 552
Rouffiac, V., Péronneau, P., Hadengue, A., Barbet, A., Delouche, P., Dantan, P., Lassau, N., Levenson, J.: A new ultrasound principle for characterizing erythrocyte aggregation: In vitro reproducibility and validation, 413
Roussakis, A.: *see* Papanikolaou, N.
Rudwan, M.: *see* Tali, E. T.
Ruehm, S. G.: *see* Goyen, M.; Herborn, C. U.
Runge, V. M.: Contrast Media Research, 643
Runge, V. M., Dickey, K. M., Williams, N. M., Peng, X.: Local tissue toxicity in response to extravascular extravasation of magnetic resonance contrast media, 393
Runge, V. M., Parker, J. R., Donovan, M.: Double-blind, efficacy evaluation of gadobenate dimeglumine, a gadolinium chelate with enhanced relaxivity, in malignant lesions of the brain, 269
Rupp, K.: *see* Krause, W.

S

Sadato, N.: *see* Uematsu, H.
Salmhofer, H.: *see* Huber, W.
Salve, N.: *see* Lalande, A.
Samuelli, G.: *see* Frigeni, V.
Santus, R.: *see* Lancelot, E.
Scatarige, J. C., Garland, M. R., Corl, F. M., O'Keefe, C. F., Fishman, E. K.: Visitors and content preferences on an educational web site dedicated to clinical body computed tomography: Results of a 2001 audit and online survey, 53
Schaffler, G. J., Kugler, C. H., Schreyer, G., Graber, G., Uggowitzer, M. M.: Quantitative and qualitative analysis on in vivo Doppler signal enhancement of FS-069, 1
Schamp, S.: *see* Partik, B. L.
Scheer, W. D.: *see* Qian, Z.
Scheller, B., Speck, U., Schmitt, A., Clauss, W., Sovak, M., Böhm, M., Stoll, H.-P.: Acute cardiac tolerance of current contrast media and the new taxane protaxel using iopromide as carrier during porcine coronary angiography and stenting, 29
Schellhammer, F., Zähringer, M., Lackner, K.: Nitinol micro-forceps for retrieval of intravascular objects: First in vitro experiences, 577
Schmidt, U.: *see* Huber, W.
Schmiedeskamp, J.: *see* Gast, K. K.
Schmitt, A.: *see* Scheller, B.
Schmitt-Willich, H.: *see* Misselwitz, B.
Schmitz, S. A., Taupitz, M., Wagner, S., Coupland, S. E., Gust, R., Nikolova, A., Wolf, K. J.: Iron-oxide-enhanced magnetic resonance imaging of atherosclerotic plaques: Postmortem analysis of accuracy, inter-observer agreement, and pitfalls, 405
Schneider, G.: *see* Facius, M.
Schnorr, J.: *see* Wagner, S.
Schöber, W., Wiskirchen, J., Kehlbach, R., Gebert, R., Rodegerdts, E., Betsch, A., Johst, U., Feuls R., Claussen, C. D., Duda, S. H.: Antiproliferative effects of the antiallergic agent azelastine on human aortic smooth-muscle cells: An in vitro study, 248
Schoenberg, S. O.: *see* Knopp, M. V.
Schoenberg, S. O., Essig, M., Hallscheidt, P., Sharafuddin, M. J., Stolpen, A. H., Knopp, M. V., Yuh, W. T. C.: Multiphase magnetic resonance angiography of the abdominal and pelvic arteries: Results of a bicenter multireader analysis, 20
Schöggl, A.: *see* Nöbauer-Huhmann, I.-M.
Schölmerich, J.: *see* Schreyer, A. G.
Schreiber, W. G.: *see* Gast, K. K.
Schrenk, H. H.: *see* Kiessling, F.
Schreyer, A. G., Herfarth, H., Kikinis, R., Seitz, J., Schölmerich, J., Geissler, A., Feuerbach, S.: 3D modeling and virtual endoscopy of the small bowel based on magnetic resonance imaging in patients with inflammatory bowel disease, 528
Schreyer, G.: *see* Schaffler, G. J.
Schubert, H.: *see* Hilger, I.
Schuhmann-Giampieri, G.: *see* Krause, W.
Schumann, P. A., Christiansen, J. P., Quigley, R. M., McCreery, T. P., Sweitzer, R. H., Unger, E. C., Lindner, J. R., Matsunaga, T. O.: Targeted-microbubble binding selectively to GPIIb IIIa receptors of platelet thrombi, 587
Schuurman, H.-J.: *see* Gaschen, L.
Schweigart, U.: *see* Huber, W.
Seeberger, F.: *see* Fleige, G.
Seeger, H.: *see* Tepe, G.
Seitz, J.: *see* Dorenbeck, U.; Schreyer, A. G.
Sendo, T.: *see* Furuta, W.
Seo, Y. L.: *see* Han, D.
Sharafuddin, M. J.: *see* Schoenberg, S. O.
Siegmann, K.: *see* Wersebe, A.
Sinha, A. M.: *see* Mahnken, A. H.
Sinn, H.: *see* Kiessling, F.
Solomon, S. B.: *see* Roberts, W. W.
Sovak, M.: *see* Scheller, B.
Speck, U.: *see* Scheller, B.
Spors, B.: *see* Fischbach, F.
Spuentrup, E., Börnert, P., Botnar, R. M., Groen, J. P., Manning, W. J., Stuber, M.: Navigator-gated free-breathing three-dimensional balanced fast field echo (TrueFISP) coronary magnetic resonance angiography, 637
Spuentrup, E., Stuber, M., Botnar, R. M., Kissinger, K. V., Manning, W. J.: Real-time motion correction in navigator-gated free-breathing double-oblique submillimeter 3D right coronary artery magnetic resonance angiography, 632
Spüntrup, E.: *see* Haage, P.
Stadler, A.: *see* Partik, B. L.
Stilianakis, N.: *see* Ropers, D.
Stoianovici, D.: *see* Roberts, W. W.
Stoll, H.-P.: *see* Scheller, B.
Stolpen, A. H.: *see* Schoenberg, S. O.
Stolz, C.: *see* Gaillard, S.
Strecker, R.: *see* Lehnhardt, S.
Strotzer, M.: *see* Dorenbeck, U.; Lenhart, M.
Stuber, M.: *see* Spuentrup, E.
Suga, K.: *see* Ogasawara, N.
Suga, K., Ogasawara, N., Okada, M., Hara, A., Matsunaga, N.: Potential of noncontrast electrocardiogram-gated half-fourier fast-spin-echo magnetic resonance imaging to monitor dynamically altered perfusion in regional lung, 615
Suga, K., Ogasawara, N., Okada, M., Matsunaga, N., Arai, M.: Regional lung functional impairment in acute airway obstruction and pulmonary embolic dog models assessed with gadolinium-based aerosol ventilation and perfusion magnetic resonance imaging, 281
Sumiyoshi, A.: *see* Ochiai, R.
Sutherland, K.: *see* Roth, C.
Sweitzer, R. H.: *see* Schumann, P. A.
Székely, G.: *see* Pfirrmann, C. W. A.
Széles, J.: *see* Csapó, B.

T

Takeuchi, H.: *see* Uematsu, H.
Tali, E. T., Ercan, N., Krumina, G., Rudwan, M., Mironov, A., Zeng, Q. Y., Jinkins, J. R.: Intrathecal gadolinium (gadopentetate dimeglu-

mine) enhanced magnetic resonance myelography and cisternography: Results of a multicenter study, 152
Tamura, A.: *see* Kato, N.
Tamura, S.: *see* Ochiai, R.
Taupitz, M.: *see* Fleige, G.; Schmitz, S. A.; Wagner, S.
Tello, R.: *see* Roth, C.
Tepe, G.: *see* Wiskirchen, J.
Tepe, G., Brehme, U., Seeger, H., Raschack, M., Claussen, C. D., Duda, S. H.: Endothelin A receptor antagonist LU 135252 inhibits hypercholesterolemia-induced, but not deendothelialization-induced, atherosclerosis in rabbit arteries, 349
Thelen, M.: *see* Gast, K. K.
Tirode, C.: *see* Barou, O.
Trattnig, S.: *see* Nöbauer-Huhmann, I.-M.
Treiber, K.: *see* Binkert, C. A.
Trübenbach, J.: *see* Wiskirchen, J.
Truong, H. T.: *see* Mahnken, A. H.
Tsujimoto, T.: *see* Kato, N.
Tweedle, M. F.: Using radiotracers to characterize magnetic resonance imaging contrast agents, 107

U

Uder, M., Humke, U., Pahl, M., Jansen, A., Utz, J., Kramann, B.: Nonionic contrast media iohexol and iomeprol decrease renal arterial tone: Comparative studies on human and porcine isolated vascular segments, 440
Uematsu, H., Maeda, M., Sadato, N., Ishimori, Y., Matsuda, T., Koshimoto, Y., Kimura, H., Yamada, H., Kawamura, Y., Takeuchi, H., Yonekura, Y., Itoh, H.: Measurement of the vascularity and vascular leakage of gliomas by double-echo dynamic magnetic resonance imaging: A preliminary study, 571
Uggowitzer, M. M.: *see* Schaffler, G. J.
Uhrmeister, P.: *see* Lehnhardt, S.
Umgelter, A.: *see* Huber, W.
Unger, E. C.: *see* Schumann, P. A.
Utz, J.: *see* Uder, M.

V

Valentin, D.: *see* Barou, O.
van der Graaf, Y.: *see* Biemans, J. M. A.
van Heesewijk, J. P. M.: *see* Biemans, J. M. A.
Van Kien, P. K.: *see* Lalande, A.
Veit, P.: *see* Goyen, M.
Vico, L.: *see* Barou, O.
Vion-Dury, J.: *see* Lemaire, L.
Vogel, U.: *see* Wersebe, A.
Völk, M.: *see* Dorenbeck, U.; Lenhart, M.
Von Tengg-Kobligk, H.: *see* Knopp, M. V.
Voracek, M.: *see* Partik, B. L.

W

Wagner, H.-J.: *see* Kalinowski, M.
Wagner, S.: *see* Schmitz, S. A.
Wagner, S., Schnorr, J., Pilgrimm, H., Hamm, B., Taupitz, M.: Monomer-coated very small superparamagnetic iron oxide particles as contrast medium for magnetic resonance imaging: Preclinical in vivo characterization, 167
Waldschuetz, R.: *see* Herborn, C. U.
Walker, P. M.: *see* Lalande, A.
Wallus check, K. P.: *see* Müller-Hülsbeck, S.
Wang, S.: *see* Konda, S. D.
Wang, Y., Chen, C. Z., Chabra, S. G., Winchester, P. A., Khilnani, N. M., Watts, R., Bush, H. L., Jr., Kent, K. C., Prince, M. R.: Bolus arterial-venous transit in the lower extremity and venous contamination in bolus chase three-dimensional magnetic resonance angiography, 458
Watts, R.: *see* Wang, Y.
Weber, T.: *see* Albrecht, T.
Weichert, J. P.: *see* Wisner, E. R.
Weiler, N.: *see* Gast, K. K.
Weill-Engerer, S.: *see* Le Blanche, A.-F.
Weinmann, H.-J.: *see* Kato, N.; Lee, H. J.
Weisbrode, S. E.: *see* Wisner, E. R.
Wels, T.: *see* Kalinowski, M.
Werk, M.: *see* Fischbach, F.
Wersebe, A., Siegmann, K., Krainick, U., Fersis, N., Vogel, U., Claussen, C. D., Müller-Schimpfle, M.: Diagnostic potential of targeted electrical impedance scanning in classifying suspicious breast lesions, 65
Wiener, E. C.: *see* Aref, M.; Konda, S. D.
Wildberger, J. E.: *see* Mahnken, A. H.
Williams, N. M.: *see* Runge, V. M.
Wilson, A. J., Boxer, M. M.: Neurotoxicity of angiographic carbon dioxide in the cerebral vasculature, 542
Wilson, S.: *see* Albrecht, T.
Winchester, P. A.: *see* Wang, Y.
Winnefeld, K.: *see* Hilger, I.
Winterer, J. T.: *see* Lehnhardt, S.
Wiskirchen, J.: *see* Schöber, W.
Wiskirchen, J., Pusich, B., Kramer, U., König, C., Trübenbach, J., Tepe, G., Claussen, C. D., Duda, S. H.: Stent struts and articulations: Their impact on balloon-expandable stents' hoop strength, pushability, and radiopacity in an experimental setting, 356
Wisner, E. R., Weichert, J. P., Longino, M. A., Counsell, R. E., Weisbrode, S. E.: A surface-modified chylomicron remnant-like emulsion for percutaneous computed tomography lymphography: Synthesis and preliminary imaging findings, 232
Wolf, J. E.: *see* Lalande, A.
Wolf, K. J.: *see* Schmitz, S. A.
Wright, K. C.: *see* Kónya, A.
Wurm, R.: *see* Lüdemann, L.

Y

Yamada, H.: *see* Uematsu, H.
Yamauchi, A.: *see* Furuta, W.
Yang, D. J.: *see* Andreopoulos, D.
Yariş, N.: *see* Ökten, A.
Yasuhara, Y.: *see* Nagao, M.
Ying, M.: *see* Ahuja, A.
Yokawa, T.: *see* Kato, N.
Yonekura, Y.: *see* Uematsu, H.
Yoo, S.-S., Choi, B. G., Han, J.-Y., Kim, H. H.: Independent component analysis for the examination of dynamic contrast-enhanced breast magnetic resonance imaging data: Preliminary study, 647
Yoon, D. Y.: *see* Han, D.
Yuh, W. T. C.: *see* Schoenberg, S. O.

Z

Zähringer, M.: *see* Schellhammer, F.
Zeng, Q. Y.: *see* Tali, E. T.
Zimmer, C.: *see* Fleige, G.; Lüdemann, L.

Subject Index—Volume 37

A

abdomen
  arteries of, multiphase 3D-Gd-MRA of, 20
  pain in, CT in evaluation of, 552
abscess, bacterial, dynamic contrast-enhanced MRI of (rabbit model), 663
N-acetylcysteine, in radiocontrast-induced renal tubular cell apoptosis, 428
ACL (anterior cruciate ligament) tears, bone SPECT assessment of, 521
acute renal failure, contrast-induced nephropathy causing, 471
aging patients, chest radiography for, ergonomic evaluation, 35
albumin, in MRI of malignant tumors (murine model), 193
allografts, renal, assessment of (monkey model), 376
Alzheimer disease, xaliproden for, assessment of (rat model), 321
angiogenesis, power Doppler signal algorithm measuring, 343
angiography
  cerebral, neurotoxicity of angiographic carbon dioxide in (rabbit model), 542
  coronary
    restenosis detection by, after coronary angioplasty, 386
    tolerance of new and current contrast media (porcine model), 29
  multiphase 3D-Gd-MRA, of abdominal and pelvic arteries, 20
  x-ray digital subtraction, with gadobutrol (porcine study), 254
angioplasty, coronary, restenosis following, 386
animal studies. *see also specific species*
anterior cruciate ligament tears, bone SPECT assessment of, 521
antioxidants, radiocontrast-induced renal tubular cell apoptosis and, 428
aorta
  compliance in, cine-MRI determining, 685
  smooth-muscle cells of, effect of azelastine on, 248
  vascular ultrasound for, using targeted-microbubble contrast agents, 587
arterial bypass grafts, Gd-enhanced MRA *versus* DSA, 60
arterial infusion, implantable ports for, 7
arterial pressure, and aortic compliance, cine-MRI determining, 685
arteriosclerosis, iron-oxide-enhanced MRI evaluating, 405
arteriovenous communication, in 3-D MRA of lower extremity, 458
artery(ies)
  abdominal, multiphase 3D-Gd-MRA of, 20
  atherosclerosis inhibition and transluminal angioplasty, 349
  carotid, contrast-enhanced MRA of, 535
  hepatic, catheter placement in, 7
  middle cerebral artery occlusion, pathophysiology and protocol (rat model), 600
  pelvic, multiphase 3D-Gd-MRA of, 20
  renal, embolization in nephrectomy (porcine model), 512
  stent struts and articulations for, evaluation of, 356
atherosclerosis
  LU 135252 and transluminal angioplasty for, 349
  plaques in, abdominal aortic assessment (rabbit model), 309
attenuation
  on CT, lung lesion progression related to, 692
  in ultrasound, stability evaluation with, 672
automatic contour detection, of aortic compliance, 685
azelastine, for restenosis prevention, 248

B

bacterial meningitis, in infants, predicting neurologic sequelae with Doppler ultrasonography, 86
biliary tract malignancies, paclitaxel application with stent placement for, 399
binding sites, saturable, theory and practice of, 101
blind source separation, in breast lesion analysis, 647
blood-brain barrier function
  damage, with angiographic carbon dioxide (rabbit model), 542
  gliomas altering, measurement of, 571
blood-pool contrast agent B792, clinical testing of, 161
bone mineral density, 3D-μCT detecting (rat model), 40
brain. *see also* Cerebral *entries*
  MRI of, T2 relaxation time correlation in, 363
brain lesions
  MRI contrast agents in, evaluation of, 269
  Xaliproden effect on (rat model), 321
brain tumors, MRI contrast enhancement of
  Gd BOPTA *versus* Gd DTPA-BMA in, 269
  Gd-DTPA extravasation in, 562
  tesla fields comparison in, 114
breast lesions
  dynamic contrast-enhanced MRI analysis of, 647
  electrical impedance scanning detecting, 65
breast tumors
  capillary density detection for prognosis, 178
  magnetic thermal ablation of (murine models), 580
bronchial obstruction, noncontrast ECG-gated fast-spin-echo MRI monitoring, 615
bronchioloalveolar carcinoma, CT contrast index determining treatment for, 692

C

calcium scores, coronary, in multislice spiral CT, 496
capillary embolization, in nephrectomy, using ethiodol-ethanol (porcine model), 512
carbon dioxide, neurotoxicity of (rabbit model), 542
carcinoma. *see also specific cancers*
  and bacterial abscess, dynamic contrast-enhanced MRI of (rabbit model), 663
  lymph metastasis in, and MR lymphography (rat model), 655
  progression in lung, attenuation of contrast agent in CT, 692
carotid arteries
  contrast-enhanced MRA of, 535
catheterization technology
  arterial port system, using translumbar aortic route, 7
  nitinol micro-forceps for intravascular retrieval, 577
  transluminal angioplasty and LU 135252 capabilities, 349
cell labeling, USPIO particles comparison for, 482
cell permeability
  contrast agents detecting
    in brain tumors, 562
    in mammary tumors, 178
    vascular, 13
  endothelial
    in brain tumors, Gd-DTPA extravasation modeling, 562
    vascular, nitric-oxide, contrast media affecting, 13
  of mammary tumors, contrast agents detecting, 178
cellular rejection, in renal allograft, assessment of (monkey model), 376
cerebral blood flow velocity, and complications of bacterial meningitis in infants, 86
cerebral ischemia, pathophysiology of (rat model), 600
cerebral vasculature, neurotoxicity of angiographic carbon dioxide in (rabbit model), 542
cervical tissue sample, in histopathology of uterine neoplasms, 381
chemotherapeutic infusion, using arterial port catheter system, 7

chest radiography
in geriatric patients, ergonomics evaluation, 35
selenium radiography *versus* storage phosphor imaging in, 47
cholecystostomy, percutaneous, needle-tip bioimpedance in, 91
chylomicron, in CT lymphography, 232
cine-magnetic resonance imaging, aortic compliance evaluation with, 685
cirrhosis of liver, Resovist for MRI in, 292
cisternography, intrathecal gadolinium for, 152
clinical trials (phase I)
Gd-DTPA *versus* standard gadolinium, for MRA, 643
of P792 blood-pool contrast agent, 161
comparative studies
arterial bypass graft evaluation, Gd-enhanced MRA *versus* DSA, 60
digital computed *versus* flat panel digital radiography, 609
Dy-EOB-DTPA *versus* iodinated agent in computed tomography, 241
Gd-DTPA *versus* standard gadolinium, for MRA, 643
3-D *versus* 2-D ultrasound renal volume measurement, 489
computed tomography
abdominal pain evaluation in, 552
Dy-EOB-DTPA *versus* iodinated agent in, 241
educational web site for, 53
fluoroscopy, guided drainage of pericardial effusions, 328
lymphatic, chylomicron microemulsion in, 232 μCT, detecting disuse osteoporosis (rat model), 40
multisplice spiral, coronary calcium scores in, 496
3-D, of disuse osteoporosis (rat model), 40
computer applications
complex joint motion analysis, 73
power Doppler sonography signal algorithms in, 343
web-based education for CT, 53
concordance correlation, in 3-D *versus* 2-D ultrasound renal volume measurement, 489
contour detection, automatic, of aortic compliance, 685
contrast agents. *see also individual contrast agents*
adverse effects of, 440
attenuation measurements of. *see* attenuation
cardiac tolerance of (porcine model), 29
chylomicron, for CT lymphography, 232
dose comparison study, in brain tumor evaluation, 114
and endothelial cell function, 13
in brain tumors, Gd-DTPA extravasation affecting, 562
in renal arteries, 440
liver-specific. *see* liver, contrast agents and
mammary tumor capillary density detection with, 178
microbubble, 205
stability measurements, 672
targeted, in vascular ultrasound, 587
nephropathy induced by, 471
radiotracers in, 107
in saturable binding sites imaging, 101
side effects in kidney. *see* renal side effects
toxicity of
carbon dioxide, in cerebral vasculature (rabbit model), 542
extravasation determining, 393
and radiocontrast-induced renal tubular cell apoptosis, 428
for ultrasound
microbubble, 205
targeted, echogenic immunoliposomes as, 215
contrast enhancement
in dynamic MRI
in brain tumors, and endothelial permeability assessment, 562
of breast, data analysis in, 647
of radiation-injured lung, 448
in lung MRI
radiation-injured lung, perfusion characteristics study, 448
ventilation for (animal models), 120, 281
in MRA
of carotid artery stenosis, 535
Gd-BOPTA, 263
contrast index, *versus* contrast agent attenuation, on CT, 692
contrast ultrasound, 205
coronary angiography
navigator gating and real-time adaptive motion correction in, 632
tolerance of contrast media in (porcine model), 29
coronary artery angioplasty, restenosis following, 386
coronary artery disease
calcium scores in, 496
MRA in, with navigator gating and real-time adaptive motion correction in, 632
coronary calcium scores, in multislice spiral CT, 496
coronary vessels
coronary calcium scores in, 496
MRA of
navigator gating and real-time adaptive motion correction, 632
steady-state-free-precession technology, 637
cranial Doppler ultrasonography, in infants with bacterial meningitis, 86
Crohn disease, MRI in, 528
CT. *see* computed tomography
cytotoxicity, radiocontrast-induced renal tubular cell apoptosis and, 428

D

dendrimer, folate, biodistribution of, 199
diagnostic aid, computers and power Doppler signal studies, 333, 343
dialysis, nephropathy induced by, haemodialysis in prevention of, 471
digital computed radiography, flat panel digital radiography compared to, 609
digital radiography
digital computed radiography compared to, 609
selenium- *versus* phosphor-based, 47
digital subtraction angiography
gadobutrol contrast media in (porcine study), 254 *versus* Gd-enhanced MRA in arterial bypass grafting, 60
disuse osteoporosis, 3D-μCT detecting (rat model), 40
DNA fragmentation, radiocontrast-induced, 428
dog
comparison of iodinated contrast media in kidney of, 368
MRI after myocardial infarction in, 77
Doppler ultrasonography
in infants with bacterial meningitis, neurologic sequelae and, 86
of neck nodes, 333
in renal allograft rejection assessment (monkey model), 376
signal enhancement with Optison, 1
signal quantification algorithm, in angiogenesis, 343
double-echo dynamic MRI, of gliomas, measuring vascularity and vascular leakage, 571
drug interactions, with Gd-EOB-DTPA contrast agent (rat study), 680
DSA. *see* digital subtraction angiography
dynamic magnetic resonance imaging
contrast enhanced
of breast, data analysis in, 647
of carcinoma and bacterial abscess (rabbit model), 663
of lung, radiation-injured, 448
double-echo, of gliomas, measuring vascularity and vascular leakage, 571
Dysprosium-EOB-DTPA, liver contrast agent, comparison with conventional iodinated agent, 241

E

echocardiography, in acute myocardial infarction, 135
echogenic immunoliposomes, 215
education, through Internet, for clinical body CT, 53
effusions, pericardial, CT-fluoroscopy guided drainage of, 328
EIS. *see* electrical impedance scanning
electrical impedance scanning
  detecting breast lesions, 65
  needle-tip system for, providing kidney and gall bladder access guidance, 91
  in submandibular and parotid lesion verification, 421
electron beam tomography, *versus* MRI, in restenosis detection, 386
ELIP (echogenic immunoliposomes), 215
embolism
  embolic stroke, pathophysiology and protocol in (rat model), 600
  pulmonary, noncontrast ECG-gated fast-spin-echo MRI monitoring, 615
emergency room, prediction rule for evaluation of abdominal pain in, 552
endoscopic retrograde cholangiopancreatography, of esophagus, 95
endothelial cell
  adhesion, on vascular stents and stent-grafts, 314
  function, and contrast agents, 13
    in renal arteries, 440
  permeability assessment
    in brain tumors, Gd-DTPA extravasation modeling, 562
    vascular, contrast media affecting, 13
endovascular instrumentation, nitinol micro-forceps for intravascular retrieval, 577
enzymes, measuring, at saturable binding sites, 101
ERCP (endoscopic retrograde cholangiopancreatography), of esophagus, 95
ergonomics, for chest radiography in geriatric patients, 35
erythrocyte aggregation, ultrasound studies of, 413
esophagus, ERCP of, 95
ethiodol-ethanol mixture, for renal artery embolization in nephrectomy (porcine model), 512
evoked field potentials, of hippocampal slices, contrast agents in (rat model), 222
experimental studies, noncontrast ECG-gated fast-spin-echo MRI of lung, 615
extravasation of contrast media, local tissue toxicity and, 393

F

femoral vein, Doppler ultrasonography using Optison contrast agent, 1
fluid, in pericardium, CT-fluoroscopy guided drainage of, 328
fluoroscopy
  in complex joint motion evaluation, 73
  in CT-guided drainage of pericardial effusions, 328
  in stent struts and articulations evaluation, transluminal angioplasty and, 356
folate, biodistribution of, 199
foreign body, nitinol micro-forceps for intravascular retrieval of, 577
fuzzy logic, in aortic compliance estimate, with cine-MRI, 685

G

gadobenate dimeglumine. *see* Gd-BOPTA
gadobutrol
  magnetic resonance lymphography with (rat model), 655
  x-ray digital subtraction with (porcine study), 254
gadodiamide, Gd-BOPTA *versus*, in malignant lesions of brain, 269
gadolinium diethylenetriaminepentaacetic acid. *see* Gd-DTPA
gadolinium-ethoxybenzyl-diethylenetriaminepentaacetic acid, interactions with clinical drugs (rat study), 680
gadolinium-folate dendrimer chelate contrast agent, evaluation of, 199
gadomer-17, for interstitial MR lymphography, 146
gadophrin-2, dynamic enhancement features, in MRI (rabbit model), 663
gall bladder, percutaneous access to, needle-tip bioimpedance and, 91
Gd-BOPTA (gadobenate dimeglumine)
  gadodiamide *versus*, in MRI of brain tumors, 269
  in liver, safety and pharmacokinetics of, 299
  for MRA
    assessment of, 643
    whole-body 3-D, dosage for, 263
  for MRI, of brain tumors, gadodiamide *versus*, 269
  pharmacokinetics of, in patients with impaired liver function, 299
  safety of
    in patients with acute myocardial infarction, 135
    in patients with impaired liver function, 299
Gd-DTPA (gadolinium diethylenetriaminepentaacetic acid)
  aerosol, lung function assessment using, 281
  blood-brain barrier function of gliomas assessment by, 571
  extravasation of
    in brain tumors, pharmacokinetic modeling of, 562
    tissue toxicity and, 393
  folate dendrimer, evaluation of, 199
  high field strength, for tumor evaluation, 114
  in myelography and cisternography, 152
  pulmonary perfusion and, 448
  for pulmonary ventilation, 120
Gd-EOB-DTPA (gadolinium-ethoxybenzyl-diethylenetriaminepentaacetic acid), interactions with clinical drugs (rat study), 680
geriatric patients, chest radiography for, ergonomic evaluation of, 35
gliomas, vascularity and vascular leakage measurement in, 571
GPIIb IIIA receptors, of platelet thrombi, targeted-microbubble binding to, 587
grafts
  arterial bypass, Gd-enhanced MRA *versus* DSA in, 60
  in transluminal angioplasty, evaluation of, 356
gray scale sonography, of neck nodes, 333
ground-glass attenuation, on CT images, lung lesion progression related to, 692

H

HaCaT-ras malignant keratinocyte tumor, macromolecular contrast agent detecting (murine model), 193
haemodialysis, for contrast-induced nephropathy prevention, 471
hemolysis, mechanical thrombectomy for, 503
hepatic arteries, arterial port catheter system using, 7
high field strength, of gadolinium, in brain tumor evaluation, 114
high-resolution imaging
  MRI, in uterine neoplasm histopathology, 381
  whole-body 3-D MRA, contrast dosage for, vascular studies, 263
hippocampal slices, effect of iomeprol contrast agent on (rat model), 222
histopathology, of uterine neoplasms, using high-resolution MRI, 381

I

images, and computer analysis of power Doppler signals, 333
immunoliposomes, echogenic, 215
independent component analysis, for breast lesions, in dynamic contrast-enhanced MRI, 647
infection imaging, ^{99m}Tc-liposomes used in, 435
inflammatory bowel disease, MRI in, 528
Internet, education for clinical body CT, 53

interobserver variability, of multiphase 3D-Gd-MRA in abdominal and pelvic arteries, 20
interventional procedures
arterial port catheter placement, 7
CT-fluoroscopy guided drainage of pericardial effusions, 328
ultrasound guiding device technology, 626
vascular stents and stent-grafts, endothelial cell adhesion on, 314
intraindividual comparison, of Gd-DTPA *versus* standard gadolinium, for MRA, 643
intravascular ultrasound imaging
of abdominal aorta (rabbit model), 309
device for, 215
enhancement, 215
iodinated contrast media. *see also* x-ray contrast agents
chylomicron microemulsion, in CT lymphography (canine model), 232
Dy-EOB-DTPA *versus*, in liver CT, 241
effects, on renal function (canine models), 368
near-infrared reflection spectroscopy assessing renal tolerance of (rat model), 698
iodinated microemulsion, in CT lymphography (canine model), 232
iodixanol
cardiovascular tolerability of, 29
ioxaglate *versus*, in kidney (canine model), 368
iohexol, adverse effects of, 440
iomeprol
adverse effects of, 440
effect on hippocampal slices (rat model), 222
iopromide, cardiovascular tolerability of, 29
iosmin, cardiovascular tolerability of, 29
ioxaglate
cardiovascular tolerability of, 29
iodixanol *versus*, in kidney (canine model), 368
iron oxide particles, 167
in magnetic thermal ablation of tumors (murine models), 580
superparamagnetic, in imaging of atherosclerotic plaques, 405
ischemia
after myocardial infarction in dogs, early MRI after, 77
cerebral, pathophysiology and protocol in (rat model), 600

J

joint motion, evaluation using fluoroscopic sequences, 73

K

kidney. *see also* renal *entries*
acute failure of, contrast-induced nephropathy causing, 471
contrast media and. *see* renal side effects, contrast media and
human cadaver, 3-D *versus* 2-D ultrasound volume measurement of, 489
percutaneous access to, needle-tip bioimpedance and, 91
knee, ACL and medial meniscus tears in, evaluation of, 521

L

laser-induced thermotherapy, of vertebral body, MRI monitoring of (porcine model), 557
lesions
brain. *see* brain lesions
breast. *see* breast lesions
lung, progression related to attenuation on CT, 692
submandibular and parotid, electrical impedance scanning in, 421
levovist contrast agent, microbubble stability measurements for, 672
lipiodol, for renal artery embolization, in nephrectomy (porcine model), 512
liver
arteries of, port catheter system using, 7
contrast agents and
Dy-EOB-DTPA comparison study for, 241
Gd-BOPTA safety, impaired liver function and, 299
Gd-EOB-DTPA interactions with clinical drugs (rat study), 680
impaired function in, and Gd-BOPTA contrast agent safety, 299
local tissue toxicity, contrast media and, 393
localization, radiologic, of esophageal level, 95
LU 135252 for prevention of atherosclerosis, 349
lung, in contrast enhanced MRI
radiation-injured, perfusion characteristics study, 448
ventilation of (animal models), 120, 281
lung perfusion
dynamic MRI of, 448
MRI assessment with Gd-DTPA, 281
noncontrast ECG-gated fast-spin-echo MRI monitoring in, 615
in radiation-injured lung, perfusion characteristics study, 448
lymph nodes, interstitial MR lymphography for, 146
lymphatic system, chylomicron contrast media in CT of, 232
lymphography
chylomicron contrast agent for, 232
interstitial, 146

M

macromolecular contrast agent, in malignant tumor detection (murine model), 193
magnetic nanoparticles, thermal ablation of tumors using (murine models), 580
magnetic resonance angiography
of arterial bypass grafts, 60
in carotid artery stenosis, 535
of coronary vessels
navigator gating and real-time adaptive motion correction in, 632
steady-state-free-precession technology in, 637
of distal calf, venous signal in, 458
multiphase, of abdominal and pelvic arteries, 20
3-D
contrast dosage for, 263
multiphase, of abdominal and pelvic arteries, 20
peripheral vascular diseases and, 458
steady-state-free-precession technology in, 637
magnetic resonance imaging
of acute myocardial infarction, 135
after myocardial infarction in dogs, 77
of brain, T2 relaxation time analysis in, 363
cine, aortic compliance evaluation with, 685
of cirrhotic liver, safety of contrast agents (rat model), 292
contrast agents for. *see individual agents*
dynamic. *see* dynamic magnetic resonance imaging
following coronary artery angioplasty, detection of restenosis following, comparison of EBT with, 386
high-resolution, of uterine neoplasms, 381
in inflammatory bowel disease, 528
laser-induced thermotherapy of vertebral bodies monitored by (porcine model), 557
of liver, impaired, safety and pharmacokinetics of Gd-BOPTA in, 299
of lung, 120
function assessment, with Gd-DTPA aerosol, 281
noncontrast ECG-gated fast-spin-echo, 615
of lymph nodes, interstitial, 146
of mammary tumors. *see* magnetic resonance mammography

molecular. *see* molecular MR imaging
of neuroprotective effect of xaliproden (rat model), 321
of saturable binding sites, 101
of systemic lupus erythematosus, 464
magnetic resonance lymphography
with gadobutrol (rat model), 655
interstitial, gadomer-17 for, 146
magnetic resonance mammography, contrast agents in, 178
magnetic thermal ablation, of tumors, using nanoparticles (murine models), 580
magnetization transfer ratio, in MRI of brain, 363
mammary tumors, MRM detecting capillary density in, 178
MDCK cells, in radiocontrast-induced renal tubular cell apoptosis, 428
mechanical thrombectomy, comparison of devices for, 503
medial meniscus tears, bone SPECT assessment of, 521
mediastinitis, acute postoperative, radiolabeled liposomes in imaging of, 435
metastasis, magnetic resonance lymphography and (rat model), 655
microbubble contrast agents
targeted, to GPIIb IIIA platelet thrombi receptors, 587
in ultrasound, 205
stabilization, attenuation measurements in, 672
microemulsion, iodinated, in CT lymphography (canine models), 232
microvascular endothelial cell damage, contrast media induced, 13
middle cerebral artery occlusion, pathophysiology and protocol (rat model), 600
molecular MR imaging, cell labeling in, USPIO particles comparison for, 482
motion studies
joint motion, evaluation using fluoroscopic sequences, 73
MRA, using navigator gating and real-time adaptive motion correction in, 632
mouse
acute postoperative mediastinitis in, 435
biodistribution of targeted contrast agents in, 199
breast tumors in, magnetic thermal ablation of, 580
malignant tumors in, albumin as contrast agent in detection of, 193
systemic lupus erythematosus in, MS-325 contrast agent effect on, 464
MRA. *see* magnetic resonance angiography
MRM (magnetic resonance mammography), contrast agents in, 178
multisplice spiral computed tomography, coronary calcium scores in, 496
myelography, intrathecal gadolinium for, 152
myocardial infarction
early MRI after (canine models), 77
thallium-201 SPECT in, 135

N

N-acetylcysteine, in radiocontrast-induced renal tubular cell apoptosis, 428
navigator gating technology, in MRA
real-time adaptive motion correction in, 632
steady-state-free-precession in, 637
near-infrared imaging, in assessment of renal tolerance of x-ray contrast media (rat model), 698
neck nodes, sonography to evaluate, 333
nephrectomy, capillary embolization using ethiodol-ethanol in (porcine model), 512
nephropathy, contrast-induced
haemodialysis for prevention of, 471
and renal tubular cell apoptosis, 428
nephrostomy, percutaneous, needle-tip bioimpedance and, 91
neurologic sequelae, in infants with bacterial meningitis, Doppler ultrasonography predicting, 86
neuroprotection, Xaliproden for, MRI assessment (rat model), 321
neurotoxicity, of angiographic carbon dioxide (rabbit model), 542
nitinol micro-forceps, for intravascular retrieval, 577
nitric-oxide, mediating adverse effects of contrast media, 13

O

Optison contrast agent, improved time intensity signals with, 1
osteoporosis, disuse, 3D-μCT detecting (rat model), 40
oxygen tension, in kidney, iodinated contrast media and (canine model), 368

P

P792 blood-pool contrast agent, clinical testing of, 161
paclitaxel, for biliary tract malignancies, evaluation of, 399
parotid lesions, electrical impedance scanning in, 421
pelvic arteries, multiphase 3D-Gd-MRA of, 20
percutaneous procedures, needle-tip bioimpedance measurements in
cholecystostomy, 91
nephrostomy, 91
perfusion
of lung. *see* lung perfusion
renal medullary blood, contrast media and (canine model), 368
pericardial effusions, CT-fluoroscopy guided drainage of, 328
peripheral vascular diseases, 3-D MRA in, venous signal and, 458
pharmacokinetics
of Gd-DTPA extravasation in brain tumors, 562
of P792, evaluation and testing of, 161
phase I clinical trials
Gd-DTPA *versus* standard gadolinium, for MRA, 643
of P792 blood-pool contrast agent, 161
phosphodiesterase inhibitors, mitigating side effects of x-ray contrast media (rat model), 698
pig
cardiac tolerance of contrast media in, 29
coronary stents during angiography, contrast media tolerance in, 29
laser-induced thermotherapy of vertebral body in, MRI monitoring of, 557
nephrectomy, therapeutic blockade of renal artery embolization in, 512
pulmonary ventilation, gadolinium contrast agents for, 120
renal arteries in
contrast media effects on, 440
embolization and, in nephrectomy, 512
x-ray contrast agents, in digital subtraction angiography, 254
platelet thrombi receptors, targeted-microbubble binding to, 587
pneumonitis, radiation, dynamic MRI of, 448
polymeric T1 contrast agent, 146
ports, implantable, for arterial infusion, 7
power Doppler sonography
of neck nodes, 333
in renal allograft rejection assessment (monkey model), 376
preclinical studies, of iron oxide as contrast medium, 167
prediction rule, in evaluation of abdominal pain, 552
proliferation, smooth-muscle cell, effects of azelastine on, 248
prophylaxis, haemodialysis in prevention of contrast-induced nephropathy, 471
prostacyclin analogue, mitigating side effects of x-ray contrast media (rat model), 698
prostheses
in transluminal angioplasty, evaluation of, 356
vascular stents and, endothelial cell adhesion on, 314

protaxel, cardiovascular tolerability of, 29
pulmonary embolism, noncontrast ECG-gated fast-spin-echo MRI monitoring, 615
pulmonary perfusion. *see* lung perfusion
pulmonary ventilation, gadolinium contrast agents for, 120

R

rabbit
  abdominal aorta in, intravascular ultrasound imaging of, 309
  bacterial abscess and carcinoma in, dynamic contrast-enhanced MRI of, 663
  and cerebral angiography, neurotoxicity in, 542
  tumor-bearing, contrast agent comparison study for, 241
radiation pneumonitis, dynamic MRI of, 448
radiocontrast-induced nephropathy, and renal tubular cell apoptosis, 428
radiography
  of chest, for geriatric patients, ergonomic evaluation of, 35
  retrograde cholangiopancreatography, of esophagus, 95
radiolabeled liposomes, in acute postoperative mediastinitis detection, 435
radiology
  contrast ultrasound in, seeking consensus on, 205
  educational web site, for clinical body computed tomography, 53
radiotracers
  in imaging saturable binding sites, 101
  MRI contrast agents characterization and, 107
rat
  cerebral ischemia in, pathophysiology and protocol model, 600
  cirrhotic liver in, safety of contrast agents in, 292
  disuse osteoporosis in, 3D-μCT detecting, 40
  Gd-EOB-DTPA interactions with clinical drugs in, 680
  hippocampal slices from, contrast agent effect on, 222
  lymph metastasis in, and MR lymphography, 655
  neuroprotective effect of Xaliproden in, MRI of, 321
  renal tolerance in, near-infrared reflection spectroscopy assessing, 698
Rayleigh's slope, in ultrasound of erythrocyte aggregation, 413
RCIN (radiocontrast-induced nephropathy), and renal tubular cell apoptosis, 428
receptors, in imaging saturable binding sites, 101
relaxation times, in MRI of brain, 363
renal allograft rejection, ultrasound diagnosis in (monkey model), 376
renal artery embolization, in nephrectomy (porcine model), 512
renal failure, acute, contrast-induced nephropathy causing, 471
renal side effects, contrast media and, 440
  haemodialysis for prevention of, 471
  near-infrared reflection spectroscopy and (rat model), 698
  renal medullary blood perfusion and oxygenation (canine model), 368
  renal tubular cell apoptosis, 428
reproducibility, in erythrocyte aggregation studies, 413
resistive index, in renal allograft rejection (monkey model), 376
Resovist, safety of, in cirrhotic liver (rat model), 292
restenosis
  azelastine for prevention of, 248
  detection of, following coronary angioplasty, 386
rifampicin, interaction with Gd-EOB-DTPA, in liver (rat study), 680

S

saturable binding sites, theory and practice of, 101
selenium radiography *versus* storage phosphor imaging, of chest, 47
serum creatine, assessing cellular rejection in renal allografts (monkey model), 376
side effects, from contrast media, in kidney. *see* renal side effects
single photon emission computed tomography
  in knee injury assessment, 521
  thallium-201, in acute myocardial infarction, 135
small bowel, and MRI in Crohn disease, 528
smooth-muscle cell proliferation, effect of azelastine on, 248
sonography. *see* Doppler ultrasonography; ultrasound
SPECT. *see* single photon emission computed tomography
SPIO (superparamagnetic iron oxide) particles, 167
steady-state-free-precession technology, in three-dimensional MRA, 637
stenosis
  in arterial grafts, evaluation of, 60
  of carotid arteries, CE-MRA of, 535
stent-grafts, vascular, endothelial cell adhesion on, 314
stents
  coronary
    during angiography, tolerance of contrast media in (porcine model), 29
    evaluation, in transluminal angioplasty, 356
  placement, in biliary tract malignancies, evaluation of, 399
  vascular, endothelial cell adhesion to, 314
storage phosphor imaging *versus* selenium radiography, of chest, 47
submandibular lesions, electrical impedance scanning in, 421
superparamagnetic iron oxide particles, in MRI, 167
  of atherosclerotic plaques, 405
  ultra small, 405, 482
swine. *see* pig
systemic lupus erythematosus, contrast-enhanced MRI of, 464

T

T2 relaxation time analysis, in MRI of brain, 363
targeted contrast agents
  biodistribution of (murine model), 199
  echogenic immunoliposomes, 215
  microbubble, GPIIb IIIA platelet thrombi receptors and, 587
taurine, in radiocontrast-induced renal tubular cell apoptosis, 428 ^{99m}Tc-liposomes, acute postoperative mediastinitis detected by, 435
thallium-201 SPECT, in acute myocardial infarction, 135
therapeutic blockade, for renal artery embolization, in nephrectomy (porcine model), 512
thermal ablation, of tumors, magnetic nanoparticles in (murine models), 580
thermotherapy, laser-induced, of vertebral body (porcine model), 557
3-D magnetic resonance angiography
  contrast dosage for, 263
  multiphase, of abdominal and pelvic arteries, 20
  peripheral vascular diseases and, 458
  steady-state-free-precession technology in, 637
3-D micro-computed tomography, of disuse osteoporosis (rat model), 40
3-D ultrasound, in volume measurement of human cadaver kidneys *versus* 2D, 489
3 tesla field strength, in MRI tumor evaluation, 114
thrombolysis, pathophysiology and protocol (rat model), 600
thrombosis, and mechanical thrombectomy, comparison of devices for, 503
time intensity curve, in Doppler signals with Optison contrast agent, 1
tolerance
  in coronary angiography (porcine model), 29
  of P792 blood-pool contrast agent, 161
  renal, near-infrared reflection spectroscopy assessing (rat model), 698
toxicity, of gadolinium, extravasation determining, 393
transluminal angioplasty
  evaluation of stent struts and articulations in, 356
  LU 135252 in, atherosclerosis inhibition and, 349
tumor-bearing rabbit, contrast agent comparison study for, 241
tumors

of brain, MRI contrast enhancement of
Gd BOPTA *versus* GD DTPA-BMA in, 269
Gd-DTPA extravasation in, 562
tesla fields comparison in, 114
of breast, magnetic thermal ablation of (murine models), 580
2-D ultrasound, in volume measurement of human cadaver kidneys, 489

U

ultra small superparamagnetic iron oxide particles
comparison of, 482
in MRI of atherosclerotic plaques, 405
ultrasound
cellular rejection in renal allografts assessed by (monkey model), 376
Doppler techniques. *see* Doppler ultrasonography
of erythrocyte aggregation, 413
guiding devices for, 626
intravascular, assessment of atherosclerotic plaques, 309
microbubble contrast agents in, 205
attenuation measurements to stabilize, 672
of neck nodes, 333
3-D *versus* 2-D, in renal volume measurement, 489
USPIO particles. *see* ultra small superparamagnetic iron oxide particles
uterine neoplasms, histopathology of, using high-resolution MRI, 381

V

vascular studies
atherosclerotic plaque evaluation with USPIO particles in MRI, 405
carotid arteries, contrast-enhanced MRA of, 535
catheter technology for intravascular retrieval, 577
enhanced high-resolution whole-body 3-D MRA, contrast dosage, 263
Gd-enhanced MRA *versus* DSA, 60
gliomas, double-echo dynamic MRI of, 571
intravascular ultrasound imaging, of abdominal aorta (rabbit model), 309
peripheral diseases, 3-D MRA in, venous signal and, 458
of response to contrast agents
cell permeability in, 13
microbubble, 587
vasorelaxation of renal arteries in, 440
stents and grafts, endothelial cell adhesion in, 314
venous signal, in MRA of distal calf, 458
vertebral body, laser-induced thermotherapy of, MRI monitoring in (porcine model), 557
vincristine, brain lesions induced by, Xaliproden effect on (rat model), 321
virtual endoscopy, of small bowel, 528
volume-rendered 3-D models, of small bowel, 528
VX2 carcinoma, and bacterial abscess, dynamic contrast-enhanced MRI of (rabbit model), 663

W

white blood cell count, in evaluation of abdominal pain, 552
whole-body 3-D MRA, Gd-BOPTA for, 263
working model, of ultrasound guiding device, 626

X

x-ray contrast agents. *see also* iodinated contrast media
gadobutrol, in digital subtraction angiography (porcine study), 254
iomeprol, effect on hippocampal slices (rat model), 222
near-infrared reflection spectroscopy assessing renal tolerance of (rat model), 698
Xaliproden, neuroprotective effect of (rat model), 321